



U.S. Department of Transportation

National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.







U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 40

CASE NO.6 19 P

TYPE OF ACCIDENT CAR/PEDESTRIAN CROSSING ROAD STRAIGHT

### A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.) VEhicLE TRAVELING SOUTH, CAME TO AN INTERSECTION WHEN IT CAME INTO CONTACT WITH PEDESTRIAN WHO WAS CROSSING THE ROAD WEST TO EAST, PEDESTRIAN CAME UP ONTO THE HOOD AND CRASHING INTO THE WINDSHIELD SHATTERING SAME, PEL THEN SLID OFF TO THE RIGHT OF VEHICLE AND CAME IN CONTACT WITH THE FOLDING SIDE VIEW MIRROR, BREAKING IT OFF FROM IT'S MOUNT. GEL TRANSPORTED TO MEDICAL CENTER

8. PEDESTRIAN PROFILE							
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)			
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	12	2	3	BRAIN	AEMATOMA	4	WINDShield

Body Region	Time of A. A. J. Brown	Abbreviated Injury Scale	
body negion	Type of Anatomic Structure		
Head Face	Whole Area	(1) Minor injury	
Throat	Vessels	(2) Moderate injury	
· · ·	Nerves	(3) Serious injury	
Chest	Organs	(4) Severe injury	
Abdomen/Pelvis	Skeletal	(5) Critical injury	
Spine	Head-LOC	(6) Maximum (untreatable)	
Upper Extremity	Skin-Burn	(7) Injured, unknown severity	
Lower Extremity External	Skin-Other		

	C. VEHICLE PROFILE						
	Class		В	Most Severe Damage ased on Vehicle Inspection			
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	LARGE VAN	98 ChEUROLET VENTURE	FRONT	Moderate			

#### DO NOT SANITIZE THIS FORM

. U.S. Department of Transportation National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM Indicate North PSU No. 40 Case Number-Stratum 6  $\nabla$ 

U.S. Department of Transportation

### **ACCIDENT COLLISION DIAGRAM**

BEST AVAILABLE

meters

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM PSU No. 40 Indicate Case Number - Stratum North HS Form 431B (1/95) Scale: 1 centimeter = \_ 98

5.6 N OF RP 2W even/RP STOPLINE NB even W/RP



U.S. Department of Transportation National Highway Traffic Safety Administration

# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number $\underline{\mathcal{L}}$	_	Case N	umbei	r-Stratum 6 19 P	
PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION SCALED DIAGRAM					
document reference point and reference line relative to physical features	Surface Type	ASPHALT	* no	orth arrow placed on diagram	
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	on <u>Dry</u>	* gra	ade measurements for all applicable adways	
a) vehicle skid marks	Coefficient of Fr		* sc inc	aled representations of the physical plant cluding:	
b) pedestrian contacts with ground or object	Grade (v/h) Measurement			all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	
c) vehicle/pedestrian point of impact (POI)	a) at impa	act <u>LEVEL</u>	b)	all traffic controls (e.g., lights, signs)	
d) location of pedestrian separation point from vehicle	b) between final re	en impact and	pe	aled representations of the vehicle and destrian at pre-impact, impact, and final st based upon either:	
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Travel Direction <u>EAST</u>			physical evidence, or	
documentation of the physical plant including:	Vehicle Travel D	Pirection South	b)	reconstructed accident dynamics	
<ul> <li>all road/roadway delineation (e.g., crosswalks, curbledge lines, lane markings, medians,</li> </ul>	Number of Trave				
pavement markings, parked vehicles, poles, signs, etc.)					
b) all traffic controls (e.g., lights, signs)					
Reference Point Sea was Stanke	<u>ui                                     </u>	Reference Line: W	EST	CURBLINE	
		Distance and Direction		Distance	
Item		from Reference Point		Distance and Direction from Reference Line	
R.Q.		0.0		2.7 \1/	
TELI PHONE		118 N	′	4,8 \x/	
STORE SIEN		1.8 N		6.4 W	
LIGHTISH SW	-	5,0 N	/	7.7 W	
MPH CIGN		8.0 5		1,0 W	
DRIVENAY SO, AJGE		10.75		0.0	
STILL SILVY SE CORN		1,5 N		2419 E	
LIGHT POLIFFICEBOX SE	CORNER	1.51		A311 E	
WT. LIMITSIEN SI		4.8 1		2938	
LIGHT POLE EAST SIE		1,25		18.1E	
LIBRARY DIRECTICAL SI	GN	2.15		183 E	

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
SIGNAL STANDARD NE SIJE	26.1 N	22.8 E
W01	3,5 S 14,0 S	8.5 E
FRP PED	14,05	13.3E
FRP VEH	20.35	6.0 €
WALK DON'T WALK EAST SIDE	0.5 N	23.8E
·		-

U.S. Department of Transportation National Highway Traffic Safety Administration

National Highway Traffic Safety Administration	PEDESTRIAN A	ACCIDENT FORM NATIONAL ACCIDENT SAMPLING ST	YSTEM
Primary Sampling Unit Numbe	r <u>40</u>	SPECIAL STUDIES - INDICATORS	STUDY
2. Case Number - Stratum	6 19 P	Check (/) each special study (SS15-SS19 below) thas been completed; code 1 for the checked special studies and 0 for the checked special studies a	hat
IDENTIFICAT	TION	studies and 0 for the special studies not checked.	ciai
Number of General Vehicle     Forms Submitted	0 1	6SS15 Administrative Use	0
4. Date of Accident		7✓SS16 Pedestrian Crash Data Study	_1
(Month,Day,Year)	<u> </u>	8SS17 Impact Fires	0
<ol><li>Time of Accident</li><li>Code reported military time</li></ol>	1229	9SS18	0
NOTE: Midnight = 2400 Unknown = 9999		10SS19	0
		NUMBER OF EVENTS	
,		Number of Recorded Events     in This Accident	1
	PEDESTRIAN ST	TUDY CRITERIA	

#### Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in

#### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

A		PEDESTRIAN	ACCIDEN"	<b>FEVENTS</b>		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0 1</u>	13. <u>0 1</u>	14 4 5	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0 0</u>	18. <u>0</u>

# CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (s 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

### CODES FOR GENERAL AREA OF DAMAGE (GAD)

### CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

# CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

		PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number	40	OFFICIAL RECORDS
2. Case Number - Stratum	6 19 P	9. Police Reported Travel Speed 999
3. Vehicle Number	0 1	Code to the nearest kmph (NOTF: 000 magne
VEHICLE IDENTIFICATION	N	less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the mode (99) Unknown	98 I year	mph X 1.6093 =kmph  10. Speed Limit
5. Vehicle Make (specify):	20.	Code posted or statutory speed limit in kmph (999) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding Editing Manual.	and	<u>56</u> mph X 1.6093 = <u>3</u> 5 kmph
(99) Unknown		11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported
6. Vehicle Model (specify):  /ENTURE  Applicable codes are found in your	442	(8) No driver present (9) Unknown
NASS PCDS Data Collection, Coding Editing Manual. (999) Unknown	and	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused
<ol> <li>Body Type         Note: Applicable codes may be found the back of this page.     </li> </ol>	d on 20	(96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number		Source:
Left justify; Slash zeros and letter Z No VIN—Code all zeros Unknown—Code all nines		13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver  (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify):  (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

### CODES FOR BODY TYPE

#### CDS APPLICABLE VEHICLES

#### **Automobiles**

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- Hatchback, number of doors unknown
- Other automobile type (specify): (80)
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

#### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- Step van or walk-in van (≤ 4,500 kgs GVWR)
- Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (s 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

#### Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

#### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- Truck based panel
- Light truck based motorhome (chassis mounted) (42)
- Other light conventional truck type (45)
- (48) Unknown light truck type
- Unknown light vehicle type (automobile, utility, van, or (49)light truck)

#### OTHER VEHICLES

#### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR s 8,850 kgs)
- (62)Single unit straight truck (8,850 kgs < GVWR s 12,000 kgs)
- Single unit straight truck (> 12,000 kgs GVWR)
- Single unit straight truck, GVWR unknown
- Medium/heavy truck based motorhome (65)
- (67)Truck-tractor with no cargo trailer
- Truck-tractor pulling one trailer (68)
- Truck-tractor pulling two or more trailers (69)
- (70)Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

#### Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- Three-wheel motorcycle or moped (82)
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- Construction equipment other than trucks (93)
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  Code weight to nearest	18. Impact Speed
(999) Unknown, lbs X .4536 =, kgs	(0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates  PRECRASH DATA
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown  STOR = VARNAMENES NEWHIROUGH 20 ARE CONTINUED BY THE ZOME CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23. Critical Precrash Event	(93) Padalavalist and
This Vehicle Loss of Control Due To:	(83) Pedalcyclist or other nonmotorist in roadway
(01) Blow out or flat tire	(specify):
(02) Stalled engine	(84) Pedalcyclist or other nonmotorist approaching
(03) Disabling vehicle failure (e.g., wheel fell off)	roadway (specify):
(specify):	(85) Pedalcyclist or other nonmotorist—unknown
(04) Non-disabling vehicle problem (e.g., hood flew	location (specify):
up) (specify):_	Object or Animal
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(87) Animal in roadway
(specify):	(88) Animal approaching roadway
(06) Traveling too fast for conditions	(89) Animal—unknown location
(08) Other cause of control loss (specify):	(90) Object in roadway
Security is	(91) Object approaching roadway
(09) Unknown cause of control loss	(92) Object—unknown location
This Vehicle Traveling	(98) Other critical precrash event (specify):
(10) Over the lane line on left side of travel lane	
(11) Over the lane line on right side of travel lane	(99) Unknown
(12) Off the edge of the read are the late	
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side (14) End departure	(00) No driver present
	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(I.e., lower steady speed or decelerating)	(09) Braking and steering left
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	
(54) In crossover	(11) Accelerating and steering left
(55) Backing	(12) Accelerating and steering right
(59) Unknown travel direction of other motor vehicle	(98) Other action (specify):
in lane	(00) Olikilown
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) — over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) — over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	l degrees
(03) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
104) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
1 (00) From crossing street, across path	
(67) From crossing street, turning into apposite	(9) Precrash stability unknown
direction	
(68) From crossing street, intended path not known	26. Precrash Directional Consequences of
1 (70) From driveway, turning into same direction	Avoidance Maneuver (Corrective Action)
(71) From driveway, across path	(U) No driver present
(72) From driveway, turning into opposite direction	(1) No avoidance maneuver
1 1757 From universay, intended path not known	(2) Vehicle stayed in travel lane where avoidance
1 1/4) From entrance to limited access highway	I maneuver was initiated
(78) Encroachment by other vehicle—details	(3) Vehicle stayed on roadway but left travel lane
unknown	While dividince maneriver was initiated
Pedestrian or Pedalcyclist, or Other Nonmotorist	(4) Vehicle stayed on roadway, not known if left
1 100/ redestrian in roadway	travel lane where avoidance maneuver was initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway
in to a tion	(9) Directional consequences unknown
	UMOUNTING AND A STATE OF THE ST

	ENVIRO	MME	NTAL DATA
	Relation to Junction (0) Non-junction (1) Interchange area  Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	2	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	<ul> <li>(6) Unknown type of non-interchange</li> <li>(9) Unknown if interchange</li> <li>Trafficway Flow</li> <li>(1) Not physically divided (two way traffic)</li> <li>(2) Divided trafficway - median strip without positive barrier</li> <li>(3) Divided trafficway - median strip with positive barrier</li> </ul>		34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)  Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
29.	<ul> <li>(4) One way trafficway</li> <li>(9) Unknown</li> <li>Number of Travel Lanes</li> <li>(1) One</li> <li>(2) Two</li> <li>(3) Three</li> <li>(4) Four</li> <li>(5) Five</li> <li>(6) Six</li> <li>(7) Seven or more</li> <li>(9) Unknown</li> </ul>	4	(6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown  35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning
	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown  Roadway Profile (1) Level		(2) Functioning (9) Unknown  36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk (9) Unknown
32.	(2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown  Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	<u>2</u>	37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):
	(9) Unknown		

2	
U.S. Department	of

U.S. Department of Transportation National Highway Traffic Safety Administration

### PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1.	Primary	Sampling	Unit	Number
• •	· · · · · · · · · · · · · · · · · · ·	Oumping	Offic	Nullinel

40

3. Vehicle Number

\_0\_1

2. Case Number - Stratum

6 19 P

#### **VEHICLE IDENTIFICATION**

VIN +GNDXØ3E3WD

Model Year  $\mathcal{T} \mathcal{E}$ 

Vehicle Make (specify): Chay Rolat

Vehicle Model (specify): \( \subseteq \mathbb{E} \notation T \notation \mathbb{R} \mathbb{E}

Sanel Doors Read

### PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material
PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

- 73 cm - 73 cm - 46 cm - 451 cm

PLASTIC

#### **VERTICAL MEASUREMENTS**

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

-*59* cm

\_\_\_\_\_\_\_\_\_ cm

-2/ cm

\_\_\_*\_* cm

#### WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

<u>25</u> cm

105 cm

 $\frac{158}{158}$  cm

64 cm


cm

266

8L cm

\_\_\_\_

HS Form 0435K (Rev. 10/95)




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:  $1 \frac{1}{2}$  cm

PEDESTRIAN SIDE CONTACT W	ORK SHEET
PEV06 Hood Material	
PEV08 Hood Length	cn
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
VERTICAL MEASUREMEN	тѕ
PEV26 Ground Clearance	cn
PEV27 Side Bumper-Bottom Height	cn
PEV28 Side Bumper-Top Height	cn
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASUREMENTS	S
PEV35 C <sub>L</sub> to A-Pillar at Bottom of Windshield	cm
PEV36 C <sub>L</sub> to A-Pillar at Top of Windshield	cm
PEV37 C <sub>L</sub> to Maximum Side View Mirror Protrusion	cm
WRAP DISTANCES	
PEV38 Ground to Side/Top Transition	cn
PEV39 Ground to Hood Edge	cn
PEV40 Ground to Centerline of Hood (ORIGIN)	cn
PEV41 Ground to Head Contact	cn

### VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: \_\_\_\_\_ cm

#### Wheelbase 3<u>05</u>cm 120.1 inches x 2.54 = Overall Length $\frac{20}{100}$ . 6 inches x 2.54 = 5/2 cm Maximum Width 72.0 inches x 2.54 = Curb Weight pounds x .4536 =Average Track inches x 2.54 =Front Overhang 7.6 inches x 2.54 = Rear Overhang inches x 2.54 =Undeformed End Width inches x = 2.54 =Engine Size: cyl./displ. x .001 CID x .0164 =**INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):\_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify):\_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):\_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):\_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): \_ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

**ORIGINAL SPECIFICATIONS** 

POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET											
			LEDE21	RIAN CUNTA	(CI WORKSH)	tt.					
CONTACT ID LABEL	COMPONENT Contacted	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle</i> )	SEQUENCE			
<u> </u>	BUMPER	5)	30		LEG	SLRATCH	(1) 2 3 9	11			
6	- 11	60	71		LE G	Smulge	①2 3 9	10			
$\mathcal{Q}$	H L	66	4/		TOKSO	PUSHED	7 2 3 9	8			
5	4001	90	56	•	TOKSO	DENT	<b>D</b> 2 3 9	2			
J	71	98	52		JORS6		3 9	プ			
$ U_{\perp} $	11	84	47		70K50	STRESS	<u>(1)</u> 2 3 9	4			
X		86	33		TORSG	DENT	1 2 3 9	5			
4	11	416	22		TURSO	DENT	Ø 2 3 9	6			
0	1/	99	3	,	TORSO		1 2 3 9	7			
	WS	181	30		HEAD	ShATTROSA	<b>D</b> 2 3 9	/			
	SIJEMIRA	220	87		TOKSO		1)2 3 9	G			
WI	13	231	87		50	KATCHES Y	<b>D</b> 2 3 9	12			
	KNOC	KEL O	KK		HEAD	HAIR	1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS											
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)				
1	775	181	30		HEAD	Shattered	2 3 9				
2	770	90	56		70150	DENT	<u> </u>				
3	770	98	52		TORSO	DENT	1 2 3 9				
4	770	24	47		TOKSO	STRESS	Q2 3 9				
5	770	86	33		TORSO	DENT	(1) 2 3 9				
6	770	116	22		TOKSO	DENT	(1) 2 3 9				
7	770	99	3		TORSO	DENT	<u> </u>				
8	706	66	41		TORSO	Pushed IN	<b>(1)</b> 2 3 9				
9	753	220	8-7		TORSO	MISSING	1 2 3 9				
10	700	60	71		LEG	SMULGE	<b>∂</b> 2 1 9				
11	700	51	30		LEG	SCRATCH	① 2 3 9				
12	753	231	87		HEAD !	SCHATENES .	D2 3 9				
13			,				1 2 3 9				
14							1 2 3 9				
15							1 2 3 9				
16							1 2 3 9				
17							1 2 3 g				
18							1 2 3 9				
19							1 2 3 9				
20							1 2 3 9				
21							1 2 3 9				
22							1 2 3 9				
23							1 2 3 9				
24							1 2 3 9				
25							1 2 3 9				

VEHICLE DIMENSIONS	11 Hard ME IN D
4. Original Wheelbase Code to the nearest centimeter	11. Hood Width Rear Opening  Code to the  nearest centimeter (210) 210 centimeters or more
(999) Unknown	(999) Unknown
	<u>6                                 </u>
5. Original Average Track Width  Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown  inches X 2.54 = 59 centimeters	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact
6. Hood Material (1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown	(9) Unknown  13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged
7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown	<ul> <li>(4) Unknown if contacted by pedestrian -         damaged</li> <li>(9) Unknown if contacted by pedestrian -         unknown if damaged</li> <li>FRONT CONTACT DAMAGE</li> </ul>
8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  1 2 7 3 centimeter  2 8 7 inches X 2.54 = 7 5 centimeter	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  57. Sinches X 2.54 = 146 centimeters  10. Hood Width Midway	(9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  57.4 inches X 2.54 = / 5/ centimeters	16. Front Bumper-Bottom Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown  J. J. J. inches X 2.54 =

\_\_\_\_ inches X 2.54 = \_\_\_ centimeters

29. Centerline of Wheel Code to the	Side Lateral Measurements
nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the
inches X 2.54 = centimeters	nearest centimeter (250) 250 centimeters or more (999) Unknown
30. Top of Tire  Code to the nearest centimeter (000) No side contact	inches X 2.54 = centimeters
(200) No side contact (200) 200 centimeters or more (999) Unknown	36. Centerline to A-Pillar at Top of Windshield Code to the
inches X 2.54 = centimeters	nearest centimeter (000) No side contact (250) 250 centimeters or more
31. Top of Wheel Well Opening  Code to the nearest centimeter	(999) Unknown inches X 2.54 = centimeter
(000) No side contact (250) 250 centimeters or more (999) Unknown	37. Centerline to Maximum Side View Mirror Protrusion
inches X 2.54 = centimeters  32. Bottom of A-Pillar at Windshield	Code to the nearest centimeter (000) No side contact
Code to the nearest centimeter (000) No side contact	(300) 300 centimeters or more (999) Unknown
(250) 250 centimeters or more (999) Unknown	inches X 2.54 = centimeter
inches X 2.54 = centimeters	Side Wrap Distance Measurements
33. Top of A-Pillar at Windshield  Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	38. Ground to Side/Top Transition  Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
34. Top of Side View Mirror  Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown  inches X 2.54 = centimeters	39. Ground to Hood Edge  Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown  inches X 2.54 = centimeters

1		
40. Ground to Centerline of Hood  Code to the nearest centimeter (000) No side contact	00	
(700) 700 centimeters or more (999) Unknown		
inches X 2.54 =centi	meters	
41. Ground to Head Contact  Code to the nearest centimeter	00	
(000) No side contact (800) 800 centimeters or more		
(998) No head contact (999) Unknown		
inches X 2.54 = centil	meters	
·		
		-

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM BEST AVAILABLE O.M.B. No. 2127-0021 National Highway Traffic Safety NATIONAL ACCIDENT SAMPLING SYSTEM Administration PEDESTRIAN CRASH DATA STUDY 1. Primary Sampling Unit Number 10. Pedestrian's Weight Code actual weight to the nearest 2. Case Number - Stratum kilogram. (999) Unknown 3. Pedestrian Number \_\_ pounds X .4536 = \_\_\_ PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 4. Pedestrian's Age 11. Pedestrian Attitude Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (97) 97 years and older (3) Kneeling (99) Unknown (4) Bending at waist (8) Other (specify):\_\_\_\_ (9) Unknown 5. Pedestrian's Sex (1) Male 12.) Pedestrian Motion (2) Female - not reported pregnant (0) Not moving (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (3) Running or jogging (9) Unknown (4) Hopping (5) Skipping 6. Pedestrian's Overall Height (6) Jumping Code actual height to the nearest (7) Falling/stumbling or rising centimeter. (8) Other (specify):\_\_\_\_\_ (999) Unknown (9) Unknown \_\_\_\_ inches X 2.54 = \_\_\_ \_\_ centimeters Pedestrian's Action Relative to Vehicle (00) Stopped 7. Pedestrian's Height - Ground to Knee (01) Crossing road, straight Code to the nearest (02) Crossing road, diagonally centimeter. \ (03) Moving in road, with traffic (999) Unknown (04) Moving in road, against traffic (05) Off road, approaching road \_\_ inches X 2.54 = \_\_\_ centimeters (06) Off road, going away from road (07) Off road, moving parallel 8. Pedestrian's Height - Ground to Hip (08) Off road, crossing driveway Code to the nearest (09) Off road, moving along driveway centimeter. (98) Other (specify): (999) Unknown (99) Unknown \_\_ inches X 2.54 = \_\_\_ \_\_ centimeters 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to 9. Pedestrian's Height - Ground to Shoulder 222

centimeter.

Code to the nearest

\_ inches X 2.54 = \_\_\_\_ centimeters

(999) Unknown

(1)

(2)

(3)

(4)

(8)

**Avoidance Actions** 

Facing vehicle

Left side to vehicle

Right side to vehicle

Other (specify):

Facing away

Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	Page 2
15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away  Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets  One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify): (99) Unknown
PEDESTRIAN'S ORIENTATION AT IMPACT  16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (apparis)	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown
(8) Other (specify):	20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source:	Nonfatal
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	(3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

Sarole (Varraalement ali metrologici eta aa aa	Page 4
Sacta and March Section 3 and Asia Company (ASIA)	45/0401/1000159915/101/15/201/15/201/101/101/101/101/101/101/101/101/101
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured	34. 1st Medically Reported Cause of Death
<ul> <li>(01) Injured - not treated at medical facility</li> <li>(02) No GCS Score at medical facility</li> <li>(03-15) Code the actual value of the initial GCS Score recorded at medical</li> </ul>	35. 2nd Medically Reported Cause of Death
facility.  (97) Injured, details unknown  (99) Unknown if injured	36. 3rd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured  (01) Injured, ABGs not measured or reported  (02-50) Code the actual value of the HCO <sub>3</sub>	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown
(96) ABGs reported , HCO <sub>3</sub> unknown (97) Injured, details unknown (99) Unknown if injured	37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60)  (00) Not fatal  (96) Fatal - ruled disease  (99) Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO[]	OS INCLUDED WITH INITIAL SUBMISSION?  YES [/]
UPDATE CANDIDATE	? NO[/ YES[]

U.S. Department of Transportation National Highway Traffic Safety Administration

### PEDESTRIAN INJURY FORM

BEST AVAILABLE Form Approved
O.M.B. No. 2127-0021
NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

40 6 19 P

3. Pedestrian Number

0\_1

2. Case Number - Stratum

3 P 4. F

4. Blank

### **INJURY DATA**


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

Source of Injury	Body Degion	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity		Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
isters 2	6. <u>/</u>	7. <b>9</b>	<u>, 20</u>	9 <u>00</u>	10. <u>/</u>	11. <u>8</u>	12. <u>775</u>	13. 🖊	14	15. 2	ک.16	17.
2nd 18.2	19. 🕰	20	21. 27	22. <u>U</u> <u>2</u>	· 23. <u>/</u>	24.2	25. <u>775</u>	26	27. 🔼	28.	29. <b>S</b>	30.
WED KIN	. Joseph	<u>ب</u> س	34. <u>UT</u>	35. <u>UU</u>	36. 2	32	38, <u>/ / 5</u>	39/	40.	41. 2	42. S	43.3
.0 .0	45. <u>p4</u> .	46. 👱	47. <u>[2</u>	48. <u>O_</u> 4	49_3	50. 2	51 <u>275</u>	52/	53.2	54. 2	55.	<b>≥</b>
5th \ 57.	58.	59.	60. <u>/ 0</u> (	31. <u>02</u>	62. <u>/</u>	63.4	34. <i>2.75</i>	65/	66	67. 2	68. S	_ 3
James Jr	(1. <u>04</u>	72	73. <u>/</u> 2.7	4. <u>02</u>	75.2	76. <u> </u>	7. <i>225</i>	- 78/	79. <u>/</u>	80. 2	81 5	# 82 <b>3</b>
للعلامة	4. 👱	85. 🕰	86. <u>U</u> _8	7. <u>00</u>	88. <u>3</u>	89. <b>8</b>	225،	91,	92	93. 🔼	94.5	95 <b>3</b>
و سال قائد قائد قائد قائد قائد قائد قائد قائد	۴	98.—	99. <u> 24. 1</u> 0	00. <u>00</u> .	101-2	02-2-1	13. <u>770</u>	104. 🛴 1	os. <u>L</u> .	106.2	07. <u>3</u> 1	os. <u>3</u>
منهوا كالمعا	Ή <sub>χ</sub>		12. <u>KU</u> 11	3. <u>U.Z.</u> 1	14. 2 1	15. 2	9. <u>703</u>	117. 🧘 1	18. 🗘 (	19.4°C	20. <b>3</b> 1	21.3
0th	3. 🙅 1	25 1	25. <u>30</u> 12	6. <u>0</u> 0 <sub>1</sub>	ر <b>چ</b> . 27	ع 5 يو	<u>9703</u>	1301	31. <u>/</u> (	<u>32</u> 41	33. <u>3</u> 1	34. <u>2</u>

# PEDESTRIAN INJURY DATA

				AIS-90			,	ONI DAI			REST AVAILABLE		
•	Source of Injury Data ~	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
<b>W</b> U	11th 2	8/8/	<u>5</u>	<u> ع</u> د	<u>0</u> 0	2	5	7 <u>0 3</u>		<u></u>	4	3	3
B	12th 22 12th		5	<u> 18</u>	<u>/2</u>	3	2	703	4	L	<u>-</u>	3	3
<b>D</b> 4	12th 2 13th 2 14 Mars 14 Mars 12 Mars 14 Mars	145 155	\$	<u>00</u>	<u>30</u>	4	2	775	1	L	1	17	3
pn	14th 2-	-ر کر	4	06	87	3	9	7.7.5		<u>/</u>	2	7	3
Th.	15th	5 post	4/2000 AVEC 2000	20	وړ	2	8	7 <u>70</u>	<u></u>	7	2	Ŋ	3
W4	16th <u>2</u>	7	<u>u</u>	08	04	4	Ø	7.75	1	<u>/_</u>	2	5	3
	17th								_			_	
	18th		_			_			_			_	
	20th									_			_
	21st								_				
	22nd	_										_	
	23rd		_			_			_				
	24th	_	_			_			_		_	_	
	25th					_	_		_		- 1		

DS, PT WENT AIRBORNE & LANDED ON WINDSHIELD



LET POSTERIOR -OCCIPUT LACEPATION

Page


National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form

#### SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE BEST AVAILABLE **OFFICIAL** Certain (0) Injury not from vehicle contact (1) Autopsy records with or without hospital/ (2) Probable No damage/contact medical records (3) Possible Scratch (Scuff, Cloth Transfer, Smear) Unknown (2) Hospital/medical records other than Dent emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Large deformation Cracked, fractured, shattered (4) summary) Direct contact injury Indirect contact injury (1) Emergency room records only (including Separated from vehicle associated X-rays or other lab reports) Noncontact injury (7) Noncontact injury (4) Private physician, walk-in or emergency Other specify: Injured, unknown source 181 clinic (9) Unknown STRIKING PROFILE Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) Rounded edge DAMAGE DEPTH (0) UNOFFICIAL (0) Injury not from vehicle contact (5) Lay coroner report No residual damage (6) E.M.S. personnel Surface only damage Interviewee Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters (8) Other source (specify): Sharp edge Other (specify): (5) (5) (9) Police (8) Other specify:\_ (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Head Whole Area (02) Skin - Abrasion (04) Skin - Contusion Face Minor injury (3) (4) (5) Neck (06) Lumbar Moderate injury Thorax (06) Skin - Laceration (08) Skin - Avulsion (3) Serious injury <u>Vessels, Nerves, Organs, Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02 Abdomen Severe injury (6) (7) Spine (5) (6) (10) Amputation Critical injury Upper Extremity Lower Extremity (20) Burn Maximum (untreatable) (30) Crush Injured, unknown severity Level of Injury Unspecified (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical Aspect injuries Type of Anatomic Structure Specific are assigned consecutive consecutive two-digit beginning with 02. numbers Right Left Whole Area (2) Vessels (02) Length of LOC (04, 06, 08) Level of Consciousness Bilateral To the extent possible, within the (3) Nerves To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. Central Organs (includes muscles/ (5) (10) Concussion Anterior ligaments) Posterior (5) Skeletal (includes joints) Head - LOC (7) (8) Superior Inferior Unknown Whole region **INJURY SOURCE** FRONT 700 Front bumper Wheels / tires 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 702 Front grille 791 Right front wheel / tire 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 705 Hood ornament (spring loaded) 798 Other wheel / tire (specify): 750 Right side door surface 706 Headlight 799 Unknown wheel / tire 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing 708 Turn signal/parking lights Undercarriage components 753 Right side folding mirror 718 Other front or add on object 800 Front crossmember 754 Right side glazing forward of B pillar (specify):\_ 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 719 Unknown front object 802 Oil pan 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel Left Side Components 804 Transmission 758 Other right side object 720 Front fender side surface 805 Drive shaft (specify): \_ 721 Front antenna 806 Catalytic converter 759 Unknown right side component 722 A1 pillar 807 Muffler 723 A2 pillar 808 Floor pan Back Components 724 B pillar 809 Fuel tank 760 Rear (back) bumper 725 C pillar 810 Rear suspension 761 Tailgate 726 D pillar 818 Other undercarriage component 762 Hatchback, vertical surface 728 Other pillar (specify): 768 Other back component (specify): 819 Unknown undercarriage component (specify): 729 Left side roof rail 769 Unknown back component 730 Left side door surface **Accessories** 731 Left side door handle 820 Air scoop, deflector Top Components 732 Left side mirror fixed housing 821 Cellular or CB radio antenna 770 Hood surface 733 Left side folding mirror 822 Emergency lights or bar 771 Hood surface reinforced by under hood 734 Left side glazing forward of B pillar 823 Fog lights 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel component 824 Luggage, ski, or bike rack 772 Front fender top surface 825 Cargo (specify):\_ 773 Cowl area 737 Rear antenna 826 Spare tire 774 Wiper blade & mountings 738 Other left side object 827 Spotlight 775 Windshield glazing (specify): 828 Other accessory (specify):\_ 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 947 Ground 778 Backlight glazing Right Side Components 779 Rear header 740 Front fender side surface 948 Other object (specify): 780 Hatchback 741 Front antenna 949 Unknown object in environment 781 Rear trunk lid 742 A1 pillar 959 Unknown object on contacting vehicle 788 Other top component (specify): \_ 743 A2 pillar 997 Noncontact injury source 789 Unknown top component 999 Unknown injury source

Restrained?	
No Yes	Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)
Blood Alcohol Lev (mg/dl) BAL =	Vel FX RT LESSER DISPLACEMENT & FX  WING OF SPHENDID SINUS (DOD)  TO THE TRUNTAL BONE FX  WALL DISPLACEMENT & FX  OLBITAL ROOF  SPHENDID SINUS (DOD)
Glasgow Coma Scale Score	RAD NON-DISPLACED RT ORBITAL FX  NON-DISPLACED LET CLAVICLE FX
GCSS = Units of Blood Given Units =	DS/RAD  NON-DISPLACED  LET ILIUM EX-
Arterial Blood Gase Ph = PO <sub>2</sub> =	FX LINE EXTENDS
PCO <sub>2</sub>	DS/RAD PUBIC SYMPHYSIS DISLOCATION  LET FEMORAL PUBIS  PUBIS  PUBIS  PUBIC  PUBIS

#### OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



1 PSU40 CASE 619P

#### 1998 PEDESTRIAN ACCIDENT FORM

99

IDENTIFICATION

3. Number of General Vehicle Forms Submitted 01

4. Date of Accident (Month, Day, Year) 98

5. Time of Accident (military time)

1229

SPECIAL STUDIES - INDICATORS

6. SS15 0 7. SS16 1 8. SS17 0 9. SS18 0 10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 01

01

#### 1998 PEDESTRIAN ACCIDENT FORM

#### PEDESTRIAN ACCIDENT EVENTS

Accident Sequence Number	Vehicle Number	Class of Vehicle		Veh. Num. or Obj. Cont.	Class of Vehicle	General Area of Damage			
12. 01	13. 01	14. 13	15. F	16. 72	17. 00	18. 0			
PSU40 1998 PEDESTRIAN ASSESSMENT FORM CASE 619P VEHICLE 01 PEDESTRIAN 01									
PEDESTRIAN'	S CHARACTE	RISTICS							
4. Pedestr	ian's Age			12					
5. Pedestr	ian's Sex			2					
6. Pedestr				999					
7. Pedestr	ian's Heigh	nt - Ground	to Knee	99					
		nt - Ground		999					
9. Pedestr	ian's Heigh	nt - Ground	to Shoulder	999					

999

#### PEDESTRIAN'S PRE-AVOIDANCE ACTIONS

10. Pedestrian's Weight

11.	Pedestrian's	Attitude	1
12.	Pedestrian's	Motion	3
13.	Pedestrian's	Actions Relative to Vehicle	02
14.	Pedestrian's	Body (Chest) Orientation Relative	
	to Striking V	Mehicle Prior to Avoidance Actions	9

PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions	99
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact 17. Pedestrian's Body (Chest) Orientation at Initial Impact 18. Pedestrian's Arm Orientation at Initial Impact 19. Pedestrian's Leg Orientation at Initial Impact 20. Vehicle/Pedestrian's Interaction	9 9 99 99
OFFICIAL RECORDS 21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian 24. Other Drug Specimen Test Result For Pedestrian	7 96 0

INJURY CONSEQUENCES	
25. Injury Severity (Police Rating)	3
26. Treatment - Mortality	3
27. Type of Medical Facility (for Initial Treatment)	1
28. Hospital Stay	22
29. Working Days Lost	97
(COMPLETED BY THE ZONE CENTER)	
30. Glasgow Coma Scale Score	02
31. Was the Pedestrian Given Blood?	9
32. Arterial Blood Gases	01
33. Time to Death	00
34. 1st Medically Reported Cause of Death	00
35. 2nd Medically Reported Cause of Death	00
36. 3rd Medically Reported Cause of Death	00
37. Number of Recorded Injuries for This Pedestrian	16
01	

#### 1998 PEDESTRIAN INJURY FORM

PSU40 CASE 619P

VEHICLE 01 PEDESTRIAN 01

# PEDESTRIAN INJURY DATA

	Source of Inj. Data		Type of Anat. Struc.	Spec. Anat. Struc.	Lev. of Inj.		Asp.	Inj. Source	Inj. Source Conf. Level	Dir./ Indir. Inj.		Type of Dmg.	Dmg. Dep.
01.	2	1	9	06	00	1	8	775	1	1	2	5	3
02.	2	2	9	74	02	1	2	775	1	1	2	5	3
03.	2	1	5	04	00	2	5	775	1	1	2	5	3
04.	2	2	5	12	04	3	2	775	1	1	2	5	3
05.	2	2	5	10	02	1	4	775	1	1	2	5	3
06.	2	2	5	12	02	2	1	775	1	1	2	5	3
07.	2	1	5	02	00	3	8	775	1	1	2	5	3
08.	2	7	5	22	00	2	2	770	1	1	2	3	3
09.	2	8	5	26	02	2	2	703	1	1	4	3	3
10.	2	8	5	30	00	3	5	703	1	1	4	3	3
11.	2	8	5	26	00	2	5	703	1	1	4	3	3
12.	2	8	5	18	12	3	2	703	1	1	4	3	3
13.	2	1	4	06	30	4	2	775	1	1	2	5	3
14.	2	1	4	06	82	3	9	775	1	1	2	5	3
15.	2	5	4	20	20	2	8	770	1	1	2	3	3
16.	2	1	6	8 0	04	4	0	775	1	1	2	5	3

01

PSU40 CASE 619P VEHICLE 01 1998 PEDESTRIAN GENERAL VEHICLE FORM

#### VEHICLE IDENTIFICATION

4.	Vehicle Model Year	98
5.	Vehicle Make	20
6.	Vehicle Model	442
7.	Body Type	20
8.	Vehicle Identification Number	1GNDX03E3WD

#### OFFICIAL RECORDS

9.	Police Reported Travel Speed	999
10.	Speed Limit	056
11.	Police Reported Alcohol Presence For Driver	7
12.	Alcohol Test Result For Driver	97
13.	Police Reported Other Drug Presence	0
14.	Other Drug Specimen Test Result for Driver	0

#### VEHICLE WEIGHT ITEMS

15. Vehicle Curb Weight 16. Vehicle Cargo Weight

1,740

9,990

RECONSTRUCTION DATA (C 18. Impact Speed 19. Accuracy Range of 20. Data Source of Imp	Impact Speed Estima	+999
PRECRASH DATA 21. Driver's Attention 22. Pre-Event Vehicle	n to Driving Movement	1 01
PRECRASH DATA (conting 23. Critical Precrash 24. Attempted Avoidance 25. Precrash Stability 26. Precrash Direction Avoidance Manuver	Event e Maneuver After Avoidance Ma	
ENVIRONMENTAL DATA 27. Relation to Juncti 28. Trafficway Flow 29. Number of Travel I 30. Roadway Alignment 31. Roadway Profile 32. Roadway Surface Ty 33. Roadway Surface Co	anes pe	2 1 4 1 1 2

0

OTHER DATA

17. Vehicle Special Use (This Trip)

2 34. Traffic Control I 35. Traffic Control I 36. Light Conditions 37. Atmospheric Cond:	Device	e Functionir	1 ng 2 1 2		
PSU40 CASE 619P VEHICLE 01	1998	PEDESTRIAN	EXTERIOR	VEHICLE	FORM

# VEHICLE DIMENSIONS 4. Original Wheelb

4.	Original Wheelbase	305
5.	Original Average Track Width	159
6.	Hood Material	1
7.	Hood Original Equip. Manufacturer	1
	Hood Length	073
9.	Hood Width Forward Opening	146
10.	Hood Width Midway	151
11.	Hood Width Rear Opening	156
12.	Hood/Fender Vertical/Lateral	
	Crush From Pedestrian	2
13.	Windshield Contact Damage From	
	Pedestrian Contact	2

#### FRONT CONTACT DAMAGE

### FRONT VERTICAL MEASUREMENTS

<ul><li>14. Front Bumper Cover Material</li><li>16. Front Bumper-Bottom Height</li><li>18. Forward Hood Opening</li></ul>	039	17.	Front Bumper Reinforcement Mat. Front Bumper-Top Height Front Bumper Lead	1 061 06
FRONT WRAP DISTANCE MEASUREMENTS		21. (	Ground to Front/Top Transition Pt	102

20.	Ground to Fwd. Hood Opening	085	21.	Ground	to	Front/Top Transition	Ρt	102
22.	Ground to Rear Hood Opening	158	23.	Ground	to	Base of Windshield		164
24.	Ground to Top of Windshield	266	25.	Ground	to	Head Contact		181

#### SIDE CONTACT DAMAGE

000
000
000
000
000

31.	Top of	Wheel Well Opening	000
32.	Bottom	of A-Pillar at Windshield	000
33.	Top of	A-Pillar at Windshield	000
34.	Top of	Side View Mirror	000

#### SIDE CONTACT DAMAGE (continued)

#### SIDE LATERAL MEASUREMENTS

35.	Centerline	to	A-Pillar	at	Bottom	of Wir	ndshield	000
36.	Centerline	to	A-Pillar	at	Top of	Windsh	nield	000
37.	Centerline	to	Maximum S	ide	· View N	Mirror	Protrusion	000

#### SIDE WRAP DISTANCE MEASUREMENTS

38.	Ground	to	Side/Top Transition	000
39.	Ground	to	Hood Edge	000
40.	Ground	to	Centerline of Hood (Origin)	000
41.	Ground	to	Head Contact	000
^				

```
40619P00000011
                 9811.00000000000112290100001
                                                99
                                                            99
                                                                 9900000000
40619P00010012
                 9811.01000000000113F72000
                   11.0 0000000012299999999999999999999999990279600331229702
40619P00010021
                   11.0 00000000021906001877511253
40619P00010131
                   11.0 00000000022974021277511253
40619P00010231
                   11.0 00000000021504002577511253
40619P00010331
                   11.0 00000000022512043277511253
40619P00010431
                   11.0 00000000022510021477511253
40619P00010531
                   11.0 0000000022512022177511253
40619P00010631
                   11.0 00000000021502003877511253
40619P00010731
                   11.0 0000000027522002277011233
40619P00010831
                   11.0 00000000028526022270311433
40619P00010931
40619P00011031
                   11.0 00000000028530003570311433
40619P00011131
                   11.0 00000000028526002570311433
                   11.0 00000000028518123270311433
40619P00011231
                   11.0 00000000021406304277511253
40619P00011331
                   11.0 00000000021406823977511253
40619P00011431
40619P00011531
                   11.0 00000000025420202877011233
                   11.0 00000000021608044077511253
40619P00011631
                   11.0 0000000009820442201GNDX03E3WD14070499905679700174999099
40619P01000041
                   11.0 000000003051591107314615115622110390610810608510215816
40619P01000051
```

99

PSU40 CASE 619P CURRENT VERSION: 11.0

# ERROR SUMMARY SCREEN PEDESTRIAN STUDY

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	0	0	0	Y
Pedestrian Injury	0	0	0	Y
Pedestrian General Vehicl	e 0	0	0	Y
Pedestrian Exterior Vehic	le 0	0	0	Y
Total Inter Errors		0	0	
Total Case Errors	0	0	0	